

RACK – SERVER

FLOOR STANDING SERVER RACK 600x1000

Description

The ORCA Networking SERVER cabinets are designed and manufactured in compliance with quality and safety standards, optimal solutions for the management and organization of structure cabling. Orca system offers a range of wall racks with relative accessories. Rack cabinets are distinguished by their exceptional robustness, which, combined with affordability and simplicity of assembly/disassembly, place them at the top of their category.



General Feature


- 19" Compatibility, Brushed and Sliding Cable Entries
- Material: 12/10 Steel - Finish Surface Powder Coating, Color RAL9005 (Black)
- IP20 protection degree in according to EN 60529.
- Passive ventilation slots and perforated panels for the recirculation of hot air
- Front single door perforated 80% - Reversible, with quick release hinges system. With foldaway handle, 2 key supplied. Opening 110°
- Rear, vertical double door, perforated 80%
- Blind side panels removable, two sections, with quick release system and door lock 1/4 turn lock;
- Front and rear 19 " in 20/10 galvanized steel side uprights adjustable in depth;
- Roof with predisposition for mounting 2-4 fans ventilation unit.
- Pre-punched and brushes space for cable inlet.
- Levelling feet and wheels;
- Standard ground kit;
- Static Load Capacity: 2000kg
- Optional - Finishing plinth H100mm
- On 800 version, 2 front vertical cable management

Dimensions:	Size:	42U	42U
	Width (Useful):	600 (560) mm	800 (760) mm
Depth (Useful):	1000 (915) mm	1000 (915) mm	
Height (Useful):	2017 (1890) mm	2017 (1890) mm	




Pinion Feet


Specifications subject to change without prior notice - For more details please visit www.orca.it




Front View




Side View




Rear View



Top View



Front Isometric View




Bottom View



Specifications subject to change without prior notice - For more details please visit www.orca.it

Specifications subject to change without prior notice - For more details please visit www.orca.it



Ordering Information code:

OC-RKF-614200-00M	ORCA - Rack Server 600x1000 42U, perforated single rear and double front door, caster & pinion feet, Capacity: 2000kg
OC-RKF-814200-00M	ORCA - Rack Server 800x1000 42U, perforated single rear and double front door, caster & pinion feet, Capacity: 2000kg