

RACK – SERVER

# FLOOR STANDING SERVER RACK 800x1000



## Description

The ORCA Networking SERVER cabinets are designed and manufactured in compliance with quality and safety standards, optimal solutions for the management and organization of structure cabling. Orca system offers a range of wall racks with relative accessories. Rack cabinets are distinguished by their exceptional robustness, which, combined with affordability and simplicity of assembly/disassembly, place them at the top of their category.

### General Feature


- 19" Compatibility, Brushed and Sliding Cable Entries
- Material: 12/10 Steel - Finish Surface Powder Coating, Color RAL9005 (Black)
- IP20 protection degree in according to EN 60529.
- Passive ventilation slots and perforated panels for the recirculation of hot air
- Front single door perforated 80% - Reversible, with quick release hinges system. With foldaway handle, 2 key supplied. Opening 110°
- Rear, vertical double door, perforated 80%
- Blind side panels removable, two sections, with quick release system and door lock 1/4 turn lock;
- Front and rear 19 " in 20/10 galvanized steel side uprights adjustable in depth;
- Roof with predisposition for mounting 2-4 fans ventilation unit.
- Pre-punched and brushes space for cable inlet.
- Levelling feet and wheels;
- Standard ground kit;
- Static Load Capacity: 2000kg
- Optional - Finishing plinth H100mm
- On 800 version, 2 front vertical cable management

Feature:


	Size:	42U	42U
Dimensions:	Width (Useful):	600 (560) mm	800 (760) mm
	Depth (Useful):	1000 (915) mm	1000 (915) mm
	Height (Useful):	2017 (1890) mm	2017 (1890) mm




Specifications subject to change without prior notice - For more details please visit [www.orca.it](http://www.orca.it)




Front View




Side View




Rear View



Top View




Bottom View



Front  
Isometric  
View



Specifications subject to change without prior notice - For more details please visit [www.orca.it](http://www.orca.it)



**Ordering Information code:**

OC-RKF-614200-00M

ORCA - Rack Server 600x1000 42U, perforated single rear and double front door, caster & pinion feet, Capacity: 2000kg

OC-RKF-814200-00M

ORCA - Rack Server 800x1000 42U, perforated single rear and double front door, caster & pinion feet, Capacity: 2000kg