

RACK – FLOOR STANDING

new structure  
rel. 2.0

## FLOOR STANDING

### Description


The ORCA Networking FLOOR cabinets are designed and manufactured compliance with quality and safety standards, optimal solutions for the management and organization of structure cabling. Orca system offers a range of wall racks with relative accessories. Rack cabinets are distinguished by their exceptional robustness, which, combined with affordability and simplicity of assembly/disassembly, place them at the top of their category.



### General Feature

Feature:


19" Compatibility, Brushed and pre-cut Cable Entries  
Material: 12/10 DKP Steel - Finish Surface Powder Coating, Color RAL9005 (Black)  
IP20 protection degree in according to EN 60529.  
Passive ventilation slots and perforated panels for the recirculation of hot air  
Front glass single door - Reversible, with quick release hinges system.  
With foldaway handle, 3 points locking system, 2 keys supplied. Opening 110°  
Blind side and rear panels removable with quick release system and 1/4 turn lock;  
33, 36, 42, 47U with removable panel divided into two parts.  
Front and rear 19 " in 20/10 galvanized steel side uprights adjustable in depth;  
Roof with predisposition for mounting 2-4 or more fans ventilation unit,  
pre-punched space for cable inlet  
Pre-punched and brushes space for cable inlet on bottom.  
Levelling feet and wheels;  
Standard ground kit;  
Static Load Capacity: 800kg  
Optional - Finishing plinth H100mm  
On 800 version, 2 front vertical cable management with doors.




Specifications subject to change without prior notice - For more details please visit [www.orca.it](http://www.orca.it)

600 x 600


Front View




Side View




Rear View




Top View




Bottom View




Front View Detail



Side View Detail



Specifications subject to change without prior notice - For more details please visit [www.orca.it](http://www.orca.it)




aqg.03/2025




800 x 800


Front View




Side View




Rear View




Top View




Bottom View



Front View Detail




Side View Detail



Specifications subject to change without prior notice - For more details please visit [www.orca.it](http://www.orca.it)

agg.03/2025


800 x 800



Specifications subject to change without prior notice - For more details please visit [www.orca.it](http://www.orca.it)


aqg.03/2025

600x800



aqg.03/2025

600x800



- |                    |                |                         |
|--------------------|----------------|-------------------------|
| 1 Base Structure   | 5 Side Panels  | 9 Casters               |
| 2 Front Glass Door | 6 Bottom Panel | 10 Brushed Cable Hole   |
| 3 Top Panel        | 7 19" Rails    | 11 Top Panel Cable Hole |
| 4 Rear Panels      | 8 Support Bars |                         |

Specifications subject to change without prior notice - For more details please visit [www.orca.it](http://www.orca.it)

agg.03/2025



U	W(mm) Overall/Useful	D(mm) Overall/Useful	H(mm) Overall/Useful
		600x600	
20	600 / 508	600 / 508	1039 / 950
24	600 / 508	600 / 508	1217 / 1127
27	600 / 508	600 / 508	1350 / 1260
33	600 / 508	600 / 508	1617 / 1527
36	600 / 508	600 / 508	1750 / 1660
42	600 / 508	600 / 508	1917 / 1867
Maximum space between rails 355mm			
		600x800	
27	600 / 508	800 / 708	1350 / 1260
33	600 / 508	800 / 708	1617 / 1527
36	600 / 508	800 / 708	1750 / 1660
42	600 / 508	800 / 708	1917 / 1867
47	600 / 508	800 / 708	2240 / 2150
		800x800	
33	800 / 708	800 / 708	1617 / 1527
36	800 / 708	800 / 708	1750 / 1660
42	800 / 708	800 / 708	1917 / 1867
47	800 / 708	800 / 708	2240 / 2150
Maximum space between rails 555mm			

#### Ordering Information code:

600 * 600	
OC-RKF-662000-00M	ORCA - Floor Standing Rack, 600x600x20U, front glass single door, blind rear and side panels, load capacity 800 kg Black
OC-RKF-662400-00M	ORCA - Floor Standing Rack, 600x600x24U, front glass single door, blind rear and side panels, load capacity 800 kg Black
OC-RKF-662700-00M	ORCA - Floor Standing Rack, 600x600x27U, front glass single door, blind rear and side panels, load capacity 800 kg Black
OC-RKF-663300-00M	ORCA - Floor Standing Rack, 600x600x33U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
OC-RKF-663600-00M	ORCA - Floor Standing Rack, 600x600x36U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
OC-RKF-664200-00M	ORCA - Floor Standing Rack, 600x600x42U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
600 * 800	
OC-RKF-682700-00M	ORCA - Floor Standing Rack, 600x800x27U, front glass single door, blind rear and side panels, load capacity 800 kg Black
OC-RKF-683300-00M	ORCA - Floor Standing Rack, 600x800x33U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
OC-RKF-683600-00M	ORCA - Floor Standing Rack, 600x800x33U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
OC-RKF-684200-00M	ORCA - Floor Standing Rack, 600x800x42U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
OC-RKF-684700-00M	ORCA - Floor Standing Rack, 600x800x47U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
800 * 800	
OC-RKF-883300-00M	ORCA - Floor Standing Rack, 800x800x33U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
OC-RKF-883600-00M	ORCA - Floor Standing Rack, 800x800x36U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
OC-RKF-884200-00M	ORCA - Floor Standing Rack, 800x800x42U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black
OC-RKF-884700-00M	ORCA - Floor Standing Rack, 800x800x47U, front glass single door, blind rear and side panels in 2 sections, load capacity 800 kg Black